

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 7/14/2025 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Silicon FGS-25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

1.3. Details of the supplier of the safety data sheet

Bloem Sealants BV
Westvlietweg 69
P.O. Box 24058
NL 2495 Den Haag
The Netherlands
T +31 (0)70 329 66 01
info@bloemsealants.com, www.bloemsealants.com

1.4. Emergency telephone number

Emergency number : +31 (0)70 329 66 01
Only available during office hours.

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3

Contains 3-aminopropyltriethoxysilane, 3-(2-aminoethylamino)propyltrimethoxysilane, trimethoxyvinylsilane, Fungicide 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -
Hazard statements (CLP) : Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : Avoid release to the environment.
Dispose of contents and container to a hazardous or special waste collection point.
EUH-statements : EUH208 - Contains 3-aminopropyltriethoxysilane, 3-(2-aminoethylamino)propyltrimethoxysilane, trimethoxyvinylsilane, Fungicide 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1), trimethoxyvinylsilane (2768-02-7), toluene (108-88-3) ⁽¹⁾
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1), trimethoxyvinylsilane (2768-02-7), toluene (108-88-3) ⁽¹⁾

⁽¹⁾ Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 940-734-7 REACH-no: 01-2120078782-46	$\geq 5 - < 10$	Asp. Tox. 1, H304
3-aminopropyltriethoxysilane	CAS-No.: 919-30-2 EC-No.: 213-048-4 EC Index-No.: 612-108-00-0 REACH-no: 01-2119480479-24	$\geq 0.5 - < 1$	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317
trimethoxyvinylsilane	CAS-No.: 2768-02-7 EC-No.: 220-449-8 EC Index-No.: 014-049-00-0 REACH-no: 01-2119513215-52	$\geq 0.5 - < 1$	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 (ATE=16.8 mg/l/4h) Skin Sens. 1B, H317
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215-39	$\geq 0.5 - < 1$	Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335
methanol substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	$\geq 0.1 - < 0.5$	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) STOT SE 1, H370

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	<0.025	Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0.27 mg/l) Acute Tox. 3 (Dermal), H311 (ATE=311 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=125 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071
toluene substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3 REACH-no: 01-2119471310-51	< 0.1	Flam. Liq. 2, H225 Repr. 2, H361d Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
3-(2-aminoethylamino)propyltrimethoxysilane	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215-39	(2.5 ≤ C < 3) Eye Irrit. 2; H319
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	(3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C < 100) STOT SE 1; H370
Fungicide 2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m ³
	200 ppm
Remark	Skin
	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	266 mg/m ³
	200 ppm
WEL STEL (OEL STEL)	333 mg/m ³
	250 ppm
toluene (108-88-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Toluene
IOEL TWA	192 mg/m ³
	50 ppm
IOEL STEL	384 mg/m ³
	100 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	191 mg/m ³
	50 ppm
WEL STEL (OEL STEL)	384 mg/m ³
	100 ppm

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Do not breathe vapours. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Good ventilation of the workplace required.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Hand protection:

Wear protective gloves.

Respiratory protection

Respiratory protection:

Wear appropriate mask

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Paste.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not applicable
Softening point	: Not applicable
Boiling point	: Not applicable
Flammability	: Not available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: > 60 °C (ISO 3679)
Auto-ignition temperature	: > 235 °C (calculated value)
Decomposition temperature	: Not available
pH	: insoluble in water
Viscosity, kinematic	: Not available
Non-Newtonian liquid	: Thixotropic behaviour
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for preparations
Partition coefficient n-octanol/water (Log Pow)	: Not applicable for preparations
Vapour pressure	: Does not apply
Vapour pressure at 50°C	: Not applicable.
Density	: 1 g/cm ³
Relative density	: 1
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

methanol

Boiling point	64.7 °C Atm. press.: 1013 hPa
Flash point	9.7 °C Atm. press.: 1013 hPa
Auto-ignition temperature	455 °C

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol

Vapour pressure	169.27 hPa Temp.: 25 °C
-----------------	-------------------------

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics

Boiling point	338 – 366 °C
---------------	--------------

Flash point	170 °C
-------------	--------

Auto-ignition temperature	226 °C
---------------------------	--------

Vapour pressure	0.00012 Pa
-----------------	------------

Vapour pressure at 50°C	0.00002 kPa
-------------------------	-------------

3-aminopropyltriethoxysilane

Vapour pressure	1.7 – 2 Pa
-----------------	------------

3-(2-aminoethylamino)propyltrimethoxysilane

Boiling point	140 °C
---------------	--------

Flash point	120 °C Atm. press.: 1013 hPa
-------------	------------------------------

Vapour pressure	0.4 Pa at 20 °C
-----------------	-----------------

trimethoxyvinylsilane

Boiling point	123 °C
---------------	--------

Flash point	24.5 °C
-------------	---------

Auto-ignition temperature	235 °C
---------------------------	--------

Vapour pressure	11.9 hPa
-----------------	----------

Fungicide 2-octyl-2H-isothiazol-3-one

Boiling point	342 °C
---------------	--------

Vapour pressure	4.9 hPa 25°C
-----------------	--------------

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

methanol (67-56-1)

LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat
LD50 oral	1187 – 2769 mg/kg
LD50 dermal rat	300 mg/kg
LD50 dermal rabbit	15800 – 17100 mg/kg
LC50 Inhalation - Rat	128.2 mg/l/4h
LC50 Inhalation - Rat [ppm]	64000 ppm/4h
LC50 Inhalation - Rat (Vapours)	128.2 mg/l/4h

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

3-aminopropyltriethoxysilane (919-30-2)

LD50 oral rat	2.83 ml/kg male
LC50 Inhalation - Rat [ppm]	> 5 ppm male

3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)

LD50 oral rat	2295 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	1.49 – 2.44 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

trimethoxyvinylsilane (2768-02-7)

LD50 oral rat	7236 mg/kg
LD50 dermal rabbit	3880 mg/kg
LC50 Inhalation - Rat [ppm]	2773 ppm/4h
LC50 Inhalation - Rat (Vapours)	16.8 mg/l/4h

toluene (108-88-3)

LD50 oral rat	5580 mg/kg
LD50 dermal rabbit	> 12400 mg/kg
LC50 Inhalation - Rat	28.1 mg/l/4h (OECD 403 method)

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin corrosion/irritation	: Not classified pH: insoluble in water
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified pH: insoluble in water
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified ((OECD 406 method))
Additional information	: Does not cause cutaneous sensitisation for guinea-pigs Conclusion by analogy Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

3-aminopropyltriethoxysilane (919-30-2)

NOAEL (chronic, oral, animal/male, 2 years)	> 43.8 mg/kg bodyweight
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

methanol (67-56-1)

NOAEL (animal/male, F0/P)	< 1000 mg/kg bodyweight Animal: mouse, Animal sex: male
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

3-aminopropyltriethoxysilane (919-30-2)

LOAEL (oral, rat, 90 days)	600 mg/kg bodyweight/day
NOAEL (subchronic, oral, animal/male, 90 days)	200 mg/kg bodyweight

3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)

NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1545 mg/kg bodyweight Animal: rat

trimethoxyvinylsilane (2768-02-7)

NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

methanol (67-56-1)

Viscosity, kinematic	0.689 – 0.747 mm ² /s
----------------------	----------------------------------

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics

Viscosity, kinematic	5.9 mm ² /s at 40 °C
Human evidence for classification	Yes
Hydrocarbon	Yes

3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)

Viscosity, kinematic	3.1 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

trimethoxyvinylsilane (2768-02-7)

Viscosity, kinematic	1.031 mm ² /s
----------------------	--------------------------

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

methanol (67-56-1)

LC50 - Fish [1]	15400 mg/l Test organisms (species): <i>Lepomis macrochirus</i>
EC50 - Crustacea [1]	18260 mg/l (OECD 202 method)
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
EC50 96h - Algae [2]	22000 mg/l <i>Pseudokirchneriella subcapitata</i>
ErC50 algae	16912 mg/l <i>Ulva pertusa</i>
NOEC (chronic)	208 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'
NOEC chronic fish	7900 mg/l <i>Oryzias latipes</i>

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics

LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l

3-aminopropyltriethoxysilane (919-30-2)

LC50 - Fish [1]	> 100 mg/l <i>Brachydanio rerio</i> (zebra-fish)
EC50 - Crustacea [1]	> 100 mg/l <i>Daphnia magna</i> (Big water flea)
EC50 72h - Algae [1]	> 100 mg/l <i>Pseudokirchneriella subcapitata</i>
NOEC chronic algae	72h 1.3 mg/l <i>Desmodesmus subspicatus</i> .

3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)

LC50 - Fish [1]	597 mg/l Test organisms (species): <i>Danio rerio</i> (previous name: <i>Brachydanio rerio</i>)
EC50 - Crustacea [1]	81 mg/l Test organisms (species): <i>Daphnia magna</i>
EC50 72h - Algae [1]	126 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
EC50 72h - Algae [2]	352 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)

trimethoxyvinylsilane (2768-02-7)

LC50 - Fish [1]	191 mg/l
EC50 - Crustacea [1]	167 mg/l <i>Daphnia magna</i> (Water flea)
EC50 72h - Algae [1]	> 957 mg/l
ErC50 algae	> 100 mg/l (OECD 201 method)

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

trimethoxyvinylsilane (2768-02-7)	
NOEC chronic crustacea	28.1 mg/l
NOEC chronic algae	25 mg/l
toluene (108-88-3)	
LC50 - Fish [1]	5.5 (≥ 5) mg/l oncorhynchus kisutch
EC50 - Crustacea [1]	3.78 mg/l Daphnia magna
EC50 72h - Algae [1]	10 mg/l
ErC50 algae	3h 134 mg/l
NOEC chronic crustacea	0.74 mg/l Ceriodaphnia dubai
NOEC chronic algae	10 mg/l Skeletonema costatum
Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
LC50 - Fish [1]	122 µg/l (OECD 203 method)
EC50 - Crustacea [1]	0.42 mg/l (OECD 202 method)
EC50 72h - Algae [1]	0.084 mg/l (OECD 201 method)
ErC50 algae	(OECD 201 method)
NOEC chronic fish	22 µg/l
NOEC chronic crustacea	0.022 mg/l
NOEC chronic algae	0.004 mg/l
12.2. Persistence and degradability	
Silicon FGS-25	
Persistence and degradability	May cause long-term adverse effects in the environment.
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable.
Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Persistence and degradability	Rapidly degradable
3-aminopropyltriethoxysilane (919-30-2)	
Persistence and degradability	Not readily biodegradable, Hydrolysis in water.
Biodegradation	28d 67 % (OECD 301A method)
3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
Persistence and degradability	Not rapidly degradable
trimethoxyvinylsilane (2768-02-7)	
Persistence and degradability	Rapidly degradable
Biodegradation	51 %
toluene (108-88-3)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	1.23 g O ₂ /g substance
Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)	
Persistence and degradability	Readily biodegradable.

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)

Biodegradation	3 - 5 days
----------------	------------

12.3. Bioaccumulative potential

Silicon FGS-25

Partition coefficient n-octanol/water (Log Pow)	Not applicable for preparations
---	---------------------------------

Partition coefficient n-octanol/water (Log Kow)	Not applicable for preparations
---	---------------------------------

Bioaccumulative potential	Not established.
---------------------------	------------------

methanol (67-56-1)

Bioconcentration factor (BCF REACH)	< 10
-------------------------------------	------

Partition coefficient n-octanol/water (Log Pow)	-0.77
---	-------

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------

Hydrocarbons, C18-C24, n-alkanes, isoalkanes, cyclics, <2% aromatics

Partition coefficient n-octanol/water (Log Pow)	> 7.2
---	-------

3-aminopropyltriethoxysilane (919-30-2)

Bioconcentration factor (BCF REACH)	3.4 Cyprinus carpio (Common Carp)
-------------------------------------	-----------------------------------

Bioaccumulative potential	not bioaccumulative.
---------------------------	----------------------

toluene (108-88-3)

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

Fungicide 2-octyl-2H-isothiazol-3-one (26530-20-1)

Partition coefficient n-octanol/water (Log Kow)	2.92 (OECD 117 method)
---	------------------------

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------

12.4. Mobility in soil

toluene (108-88-3)

Ecology - soil	Product adsorbs onto the soil.
----------------	--------------------------------

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1), trimethoxyvinylsilane (2768-02-7), toluene (108-88-3) ⁽¹⁾
--	--

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1), trimethoxyvinylsilane (2768-02-7), toluene (108-88-3) ⁽¹⁾
---	--

⁽¹⁾ Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance/mixture has no endocrine disrupting properties.

12.7. Other adverse effects

Silicon FGS-25

Other information	Avoid release to the environment.
-------------------	-----------------------------------

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

methanol

toluene

SECTION 16: Other information

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
VOC	Volatile Organic Compounds

Data sources	: ECHA (European Chemicals Agency). Supplier's safety documents. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Silicon FGS-25

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 3-aminopropyltriethoxysilane, 3-(2-aminoethylamino)propyltrimethoxysilane, trimethoxyvinylsilane, Fungicide 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aquatic Chronic 3	H412	Calculation method
EUH208	EUH208	Expert judgement

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.